

NOVITÀ
NEW

MELUA



POZZI-GINORI

Geberit Group




HANSE RAUFMANN

Bath Oil for the Shower
Oil Bath For The Shower

(5.9 FL OZ)

MELUA



piatto doccia quadrato



piatto doccia quadrato extrapiatto in resin stone.
superficie antiscivolo. foro per piletta da 90mm.
installazione sopra pavimento e a filo pavimento.

codice	a (mm)	b (mm)	c (mm)	peso kg ca.
550.501.00.1	800	800	35	31
550.502.00.1	900	900	35	38
150.552.21.1	sifone per piatto doccia d90, completo di tappo, d40mm, ci 50mm, portata di scarico 0,65l/s			

square shower tray

square extraflat shower tray in resin stone.
slip resistant surface. 90 mm drain outlet.
installation on the floor and at floor level.

code	a (mm)	b (mm)	c (mm)	approx. weight kg
550.501.00.1	800	800	35	31
550.502.00.1	900	900	35	38
150.552.21.1	syphonic drain for shower tray d90, with cover, d40mm, sh 50mm, flow rate 0,65l/s			



piatto doccia rettangolare 90-140

piatto doccia quadrato extrapiatto in resin stone.
superficie antiscivolo. foro per piletta da 90mm.
installazione sopra pavimento e a filo pavimento



codice	a (mm)	b (mm)	c (mm)	peso kg ca.
550.503.00.1	900	700	35	29,4
550.504.00.1	1000	700	35	33,2
550.505.00.1	1000	800	35	37,4
550.506.00.1	1000	900	35	42,5
550.507.00.1	1200	700	35	41,6
550.508.00.1	1200	800	35	49,9
550.509.00.1	1200	900	35	55,2
550.510.00.1	1400	700	40	38,1
550.511.00.1	1400	800	40	43,5
550.512.00.1	1400	900	40	46,1
150.552.21.1	sifone per piatto doccia d90, completo di tappo, d40mm, ci 50mm, portata di scarico 0,65l/s			

rectangular shower tray 90-140

square extraflat shower tray in resin stone.
slip resistant surface. 90 mm drain outlet.
installation on the floor and at floor level.

code	a (mm)	b (mm)	c (mm)	approx. weight kg
550.503.00.1	900	700	35	29,4
550.504.00.1	1000	700	35	33,2
550.505.00.1	1000	800	35	37,4
550.506.00.1	1000	900	35	42,5
550.507.00.1	1200	700	35	41,6
550.508.00.1	1200	800	35	49,9
550.509.00.1	1200	900	35	55,2
550.510.00.1	1400	700	40	38,1
550.511.00.1	1400	800	40	43,5
550.512.00.1	1400	900	40	46,1
150.552.21.1	syphonic drain for shower tray d90, with cover, d40mm, sh 50mm, flow rate 0,65l/s			





piatto doccia rettangolare 160-170
 piatto doccia quadrato extrapiatto in resin stone.
 uperficie antiscivolo. foro per piletta da 90mm.
 installazione sopra pavimento e a filo pavimento.

codice	a (mm)	b (mm)	c (mm)	peso kg ca.
550.513.00.1	1600	700	40	44,9
550.514.00.1	1600	750	40	47,9
550.515.00.1	1600	800	40	49,5
550.516.00.1	1600	900	40	55,8
550.517.00.1	1700	700	40	48,2
550.518.00.1	1700	750	40	47,8
550.519.00.1	1700	800	40	51,4
550.520.00.1	1700	900	40	55,5
150.552.21.1	sifone per piatto doccia d90, completo di tappo, d40mm, ci 50mm, portata di scarico 0,65l/s			

rectangular shower tray 160-170
 rectangular extraflat shower tray in resin stone.
 slip resistant surface. 90 mm drain outlet.
 installation on the floor with or without and at floor level.

code	a (mm)	b (mm)	c (mm)	approx. weight kg
550.513.00.1	1600	700	40	44,9
550.514.00.1	1600	750	40	47,9
550.515.00.1	1600	800	40	49,5
550.516.00.1	1600	900	40	55,8
550.517.00.1	1700	700	40	48,2
550.518.00.1	1700	750	40	47,8
550.519.00.1	1700	800	40	51,4
550.520.00.1	1700	900	40	55,5
150.552.21.1	syphonic drain for shower tray d90, with cover, d40mm, sh 50mm, flow rate 0,65l/s			



bordo lucido e superficie doccia opaca antiscivolo /glo



Easy edge and mat slip resistant shower surface







concept & styling
simonasilenzi studio
art buying
alessandra chiarelli
photo
gionata xerra
photo assistant
leonardo duggento
post production
pierpaolo mazzola
thanks to
society limonta
fantini
ceramica vogue

printed in Italy by Grafiche Antiga AM00130 - 03/18 20.000

