



WHAT'S
NEXT?



WITH







WITH





WHAT'S

NEXT



A WORLD WHERE THE ONLY CONSTANT IS CHANGE.

TWO BRANDS, **IRIS CERAMICA** AND **DIESEL LIVING**
TOGETHER AGAIN TO PERFORM A VISION.

HOW DO HOMES, THE PLACES WE LIVE IN,
THE PLACES WE DWELL IN, EVOLVE IN THE ERA
OF DIGITAL NOMADS? SURFACES IMITATE WHAT'S
HAPPENING OUTSIDE, FOLLOWING REALITY,
RECREATING THE UNIVERSE WITHIN FOUR WALLS.
HERE'S FOUR SUGGESTIONS, FOUR IDEAS,
FOUR STORIES, DEDICATED TO THOSE WHO
FOUND IN THE WORLD THEIR TRUE HOME.

UN MONDO IN CUI L'UNICA COSTANTE È IL CAMBIAMENTO. DUE BRAND,
IRIS CERAMICA E **DIESEL LIVING**, ANCORA UNA VOLTA INSIEME
PER METTERE IN SCENA UNA VISIONE. COME SI EVOLVONO LE CASE, GLI
SPAZI IN CUI VIVIAMO, GLI SPAZI CHE ABITIAMO, NELL'EPOCA DEI DIGITAL
NOMADS? LE SUPERFICI IMITANO CIÒ CHE ACCADE FUORI, SEGUONO LA
REALTÀ, RICREANO L'UNIVERSO TRA QUATTRO MURA. ECCO QUATTRO
SUGGERIMENTI, QUATTRO IDEE, QUATTRO STORIE, DEDICATE A CHI HA
TROVATO NEL MONDO LA SUA VERA CASA.



WITH
iris
Ceramica



**GLASS
BLOCKS**
4 - 7



IN



**METAL
PERF**
8 - 11

**CEMENT
MEXICAN**



12 - 15



DEX

SYNTHETIC

16 - 21





GLASS BLOCKS

Concrete and glass.
Two words, two materials merging into one.

TWO MATERIALS MERGING INTO ONE. TWO GALAXIES COMING TOGETHER. SEMITRANSARENCY. LIGHT WITHOUT IMAGE, ILLUMINATING WITHOUT EXPOSING. GEOMETRIC PERFECTION. SQUARES ON SQUARES, ROWS AND COLUMNS. SERIOUSNESS, EFFORT, AMBITION. RESILIENCE OF SCRATCHED, USED SURFACES THAT SURVIVED EVERYTHING BUT STILL SEE THE DREAM LIKE THE FIRST DAY.

Vetrocemento. Due parole in una, due materie che si fondono.
Due galassie che s'incontrano. Semitrasparenza. Luce senza immagine, che illumina senza mettere a nudo. Perfezione geometrica.
Quadrati su quadrati, righe e colonne. Serietà, impegno, ambizione.
Resilienza di superfici scalfite, usate, sopravvissute a tutto.
Ma che ancora vedono il sogno come il primo giorno.



GLASS BLOCKS

RIGHT WALL GLASS GREEN_ 20 X 20 cm
LEFT WALL MEXICAN RUGGED GREY_ 120 X 60 cm
FLOOR MEXICAN SLIGHT BLACK_ 120 X 60 cm





METAL PERF

Steel and aluminum, copper and bronze.

STAINS OF LIFE ON A METAL SLAB. THE STRUGGLE
OF BEAUTY TO SURVIVE IN A CONCRETE JUNGLE.
YOU'RE (NOT) WELCOME TO THE MACHINE.
GET YOURSELF TOGETHER. JUST TURN IT INSIDE OUT.
YOU'RE THE MAKER OF YOUR OWN FUTURE.
THIS IS THE HAMMER, THIS IS THE ANVIL.
IT'S WORKING TIME.

Acciaio e alluminio, rame e bronzo. Macchie di vita su lastre
di metallo. Il bello che lotta per sopravvivere nella giungla d'asfalto.
(Non) benvenuto tra le macchine. Riprenditi. Ribalta le cose.
Sei tu il creatore del tuo futuro. Qua c'è il martello,
là l'incudine. È ora di lavorare.



METAL PERF

RIGHT WALL METAL RUSSET SQ. _ 120 X 60 cm
FRONT WALL METAL PERF FLUX _ 10 X 20 cm
FLOOR METAL FLAMED COPPER LUCIDATO SQ. _ 120 X 60 cm
UPPER WALL ARIZONA ROUGH GREIGE SQ. _ 120 X 60 cm





CEMENT MEXICAN

El pueblo concreto.

A PEOPLE'S SPIRIT, IN MATTER. JUST LIKE
A JOURNEY, AN OLD MEMORY, A SATELLITE TOWER.
BRIGHT, LIVELY COLORS. LIVED-IN SURFACES.
EXAGGERATIONS AND CONTRASTS.
BUT NO MORE BORDERS, NO MORE FLAGS.
MEXICO'S A STATE OF MIND, PART OF OUR LIVES.
A PIECE OF US.

El pueblo concreto. Lo spirito di un popolo, nella materia.
Come un viaggio, un vecchio ricordo, una torre satellite.
Colori accesi, vivaci. Superfici vissute. Niente più confini però,
niente più bandiere. Il Messico è uno stato d'animo,
un pezzo della nostra vita. Parte di noi.



CEMENT MEXICAN

RIGHT WALL MEXICAN RUGGED ORANGE SQ. _ 120 X 60 cm
FRONT WALL MEXICAN SLIGHT SAND SQ. _ 120 X 60 cm
MEXICAN SLIGHT BORDEAUX SQ. _ 120 X 60 cm
FLOOR MEXICAN SLIGHT SAND SQ. _ 120 X 60 cm





SYNTHETIC

Dream it loud.
Tape is alive.

IT'S NOT FICTION, IT'S VISION. GLAM ROCK,
REBEL VENEER, ARTIST PROVOCATION. SOUND CHECK,
DEMO, LINEUP. ROGUE SOUNDWAVES. SOFT STUDS.
ELECTRIC, DIGITAL SOUNDS, PRIMORDIAL RHYTHMS.
THE WORLD'S YOUR STAGE. STEP UP, TAKE IT AND SING YOUR SONG.

NOW IT'S COOLER THAN VINYL. GONE ARE THE DAYS
OF CDS, DVDS, MP3S. MIXTAPES FROM THE '90S REVERED
LIKE PRECURSORS, PATRON SAINTS OF THE DIGITAL AGE.
BECAUSE TO LOOK FORWARD YOU NEED TO LOOK BACK.
WHERE'S THE PARTY? TAPE IS IN THE HOUSE.

Sogna ad alto volume. Non è finzione, è visione. Glam rock, patina ribelle, provocazione d'artista. Soundcheck, demo, lineup. Onde sonore anomale. Borchie di spugna. Suoni elettrici, digitali, ritmi primordiali. Il mondo è il tuo palcoscenico. Sali, fatti avanti, e canta la tua canzone.

Il nastro è vivo, più cool del vinile. Altri tempi quelli di CD, DVD, MP3. Compilation anni '90 adorata come precursori, santi patroni dell'era digitale. Per guardare avanti devi guardare indietro. È qui la festa? Il nastro è arrivato.



SYNTHETIC

LEFT WALL HARD STUDS GREIGE _ 20 X 20 cm
FRONT WALL HARD STUDS GREIGE _ 20 X 20 cm
TAPE ORANGE _ 10 X 30 cm
FLOOR METAL DARK BRASS LUCIDATO SQ _ 60 X 60 cm







ON AIR

SYNTHETIC

RIGHT WALL TAPE GREY_ 10 X 30 cm
LEFT WALL HARD STUDS BLACK_ 20 X 20 cm
FLOOR METAL DARK BRASS LUCIDATO SQ._ 60 X 60 cm





WITH



What's Next?

CONCRETE AND GLASS
TWO WORDS, TWO MATERIALS
MERGING INTO ONE



GLASS GREEN




GLASS AZURE




GLASS BLOCKS


WALL

CODE	CM	NAME	
563544 	20x20	GLASS GREEN	
563545 	20x20	GLASS AZURE	
563546 	20x20	GLASS DUSTY WHITE	
563547 	20x20	GLASS DUSTY BLACK	






FLUX



WOLF



TINNY













REDDISH




METAL PERF

WALL

Metal Perf	CM	NAME
512089 	10x20	FLUX 
512088 	10x20	WOLF 
512087 	10x20	TINNY 
512086 	10x20	REDDISH 
512090 	10x20	GLOOM 

STEEL AND ALUMINUM
COPPER AND BRONZE





METAL_DARK SQ.



METAL_RUSSET SQ.



METAL_PERF_LAPPATO_DARK SQ.



METAL_PERF_LAPPATO_RUSSET SQ.



METAL_LUCIDATO_DARK BRASS SQ.



METAL_LUCIDATO_FLAMED COPPER SQ.

METAL PERF

FLOOR

Metal	Metal Perf Lappato	CM	NAME
892324 	892326 	120x60	DARK SQ. 
892325 	892327 	120x60	RUSSET SQ. 
891794 	891796 	120x30	DARK SQ. 
891795 	891797 	120x30	RUSSET SQ. 
866324 	866326 	60x60	DARK SQ. 
866325 	866327 	60x60	RUSSET SQ. 
863324 	863326 	60x30	DARK SQ. 
863325 	863327 	60x30	RUSSET SQ. 

Metal Lucidato	CM	NAME
892328 	120x60	DARK BRASS SQ. 
892329 	120x60	FLAMED COPPER SQ. 
891798 	120x30	DARK BRASS SQ. 
891799 	120x30	FLAMED COPPER SQ. 
866328 	60x60	DARK BRASS SQ. 
866329 	60x60	FLAMED COPPER SQ. 



MEXICAN SLIGHT_WHITE SQ.



MEXICAN RUGGED_WHITE SQ.



MEXICAN SLIGHT_SAND SQ.



































MEXICAN RUGGED_SAND SQ.



CEMENT MEXICAN

WALL
FLOOR

Slight	Rugged	Rugged R11	CM	NAME
892308 	892300 	892316 	120x60	WHITE SQ. 
892309 	892301 	892317 	120x60	SAND SQ. 
891083 	891075 	891091 	120x30	WHITE SQ. 
891084 	891076 	891092 	120x30	SAND SQ. 
866308 	866300 	866316 	60x60	WHITE SQ. 
866309 	866301 	866317 	60x60	SAND SQ. 
863300 	863300 	863316 	60x30	WHITE SQ. 
863301 	863301 	863317 	60x30	SAND SQ. 

BRIGHT, LIVELY COLORS
LIVED-IN SURFACE
EXAGGERATION
AND CONTRAST



MEXICAN SLIGHT_GREY SQ.



MEXICAN RUGGED_GREY SQ.



MEXICAN SLIGHT_BLACK SQ.



































MEXICAN RUGGED_BLACK SQ.



CEMENT MEXICAN

WALL
FLOOR

Slight	Rugged	Rugged R11	CM	NAME
892310 	892302 	892318 	120x60	GREY SQ. 
892311 	892303 	892319 	120x60	BLACK SQ. 
891085 	891077 	891093 	120x30	GREY SQ. 
891086 	891078 	891094 	120x30	BLACK SQ. 
866310 	866302 	866318 	60x60	GREY SQ. 
866311 	866303 	866319 	60x60	BLACK SQ. 
863302 	863302 	863318 	60x30	GREY SQ. 
863303 	863303 	863319 	60x30	BLACK SQ. 

A PEOPLE'S SPIRIT, IN MATTER
JUST LIKE A JOURNEY
AN OLD MEMORY, A SATELLITE TOWER

C

MEXICAN SLIGHT_BLUE SQ.

































MEXICAN RUGGED_BLUE SQ.

MEXICAN SLIGHT_DEEP GREEN SQ.

MEXICAN RUGGED_DEEP GREEN SQ.

CEMENT MEXICAN

WALL FLOOR

Slight	Rugged	Rugged R11	CM	NAME
892313 	892305 	892321 	120x60	BLUE SQ. 
892314 	892306 	892322 	120x60	DEEP GREEN SQ. 
891088 	891080 	891096 	120x30	BLUE SQ. 
891089 	891081 	891097 	120x30	DEEP GREEN SQ. 
866313 	866305 	866321 	60x60	BLUE SQ. 
866314 	866306 	866322 	60x60	DEEP GREEN SQ. 
863313 	863305 	863321 	60x30	BLUE SQ. 
863314 	863306 	863322 	60x30	DEEP GREEN SQ. 

BRIGHT, LIVELY COLOR
LIVED-IN SURFACE
EXAGGERATION
AND CONTRAST

A PEOPLE'S SPIRIT, IN MATTER
JUST LIKE A JOURNEY
AN OLD MEMORY, A SATELLITE TOWER

MEXICAN SLIGHT_ORANGE SQ.

































MEXICAN RUGGED_ORANGE SQ.

MEXICAN SLIGHT_BORDEAUX SQ.

MEXICAN RUGGED_BORDEAUX SQ.

CEMENT MEXICAN

WALL
FLOOR

Slight	Rugged	Rugged R11	CM	NAME
892312 	892304 	892320 	120x60	ORANGE SQ. 
892315 	892307 	892323 	120x60	BORDEAUX SQ. 
891087 	891079 	891095 	120x30	ORANGE SQ. 
891090 	891082 	891098 	120x30	BORDEAUX SQ. 
866312 	866304 	866320 	60x60	ORANGE SQ. 
866315 	866307 	866323 	60x60	BORDEAUX SQ. 
863312 	863304 	863320 	60x30	ORANGE SQ. 
863315 	863307 	863323 	60x30	BORDEAUX SQ. 



HARD STUDS_WHITE



SOFT STUDS_WHITE



HARD STUDS_GREIGE



SOFT STUDS_GREIGE




HARD STUDS_GREY



SOFT STUDS_GREY



HARD STUDS_BLACK















SOFT STUDS_BLACK

SYNTHETIC


HARD STUDS
SOFT STUDS

WALL

Hard Studs	Soft Studs	CM	NAME
563536 	563540 	20x20	WHITE 
563539 	563543 	20x20	GREIGE 
563538 	563542 	20x20	GREY 
563537 	563541 	20x20	BLACK 

DREAM IT LOUD.
TAPE IS ALIVE.

IT'S NOT FICTION, IT'S VISION.
GLAM ROCK, REBEL VENEER.
ARTIST PROVOCATION.



TAPE BLACK




TAPE GREY



TAPE GREEN













TAPE BLUE



SYNTHETIC TAPE

WALL

Tape	CM	NAME
754742 	10x30	BLACK 
754743 	10x30	GREY 
754744 	10x30	GREEN 
754745 	10x30	BLUE 
754746 	10x30	ORANGE 

DREAM IT LOUD
TAPE IS ALIVE.

NOW IT'S COOLER THAN VINYL.
GONE ARE THE DAYS
OF CDS, DVDS, MP3.









TAPE ORANGE



TECHNICAL CHARACTERISTICS

PEZZI SPECIALI_TRIMS

		
GRADINO ELLE JOLLY	COPRIBORDO	BATTISCOPA
60x30 SQ.	15x30 SQ. R II	7x60 SQ.
		

METAL PERF

CODE	CM	NAME	
867889 	60x30	GRADINO ELLE JOLLY METAL DARK	
867888 	60x30	GRADINO ELLE JOLLY METAL RUSSET	
867886 	60x30	GRADINO ELLE JOLLY METAL PERF DARK LAPPATO	
867887 	60x30	GRADINO ELLE JOLLY METAL PERF RUSSET LAPPATO	
862324 	7x60	BATTISCOPA METAL DARK	
862325 	7x60	BATTISCOPA METAL RUSSET	
862326 	7x60	BATTISCOPA METAL PERF DARK LAPPATO	
862327 	7x60	BATTISCOPA METAL PERF RUSSET LAPPATO	
862328 	7x60	BATTISCOPA METAL DARK BRASS LUCIDATO	
862329 	7x60	BATTISCOPA METAL FLAMED COPPER LUCIDATO	

CEMENT MEXICAN

CODE	CM	NAME	
867993 	60x30	GRADINO ELLE JOLLY SLIGHT WHITE	
867994 	60x30	GRADINO ELLE JOLLY SLIGHT SAND	
867995 	60x30	GRADINO ELLE JOLLY SLIGHT GREY	
867996 	60x30	GRADINO ELLE JOLLY SLIGHT BLACK	
867997 	60x30	GRADINO ELLE JOLLY SLIGHT ORANGE	
867998 	60x30	GRADINO ELLE JOLLY SLIGHT BLUE	
867999 	60x30	GRADINO ELLE JOLLY SLIGHT DEEP GREEN	
867900 	60x30	GRADINO ELLE JOLLY SLIGHT BORDEAUX	
728900 	15x30	COPRIBORDO RUGGED WHITE SQ. R II	
728901 	15x30	COPRIBORDO RUGGED SAND SQ. R II	
728898 	15x30	COPRIBORDO RUGGED GREY SQ. R II	
728899 	15x30	COPRIBORDO RUGGED BLACK SQ. R II	
728897 	15x30	COPRIBORDO RUGGED ORANGE SQ. R II	
728919 	15x30	COPRIBORDO RUGGED BLUE SQ. R II	
728918 	15x30	COPRIBORDO RUGGED DEEP GREEN SQ. R II	
728917 	15x30	COPRIBORDO RUGGED BORDEAUX SQ. R II	
862308 	7x60	BATTISCOPA SLIGHT WHITE SQ.	
862309 	7x60	BATTISCOPA SLIGHT SAND SQ.	
862310 	7x60	BATTISCOPA SLIGHT GREY SQ.	
862311 	7x60	BATTISCOPA SLIGHT BLACK SQ.	
862312 	7x60	BATTISCOPA SLIGHT ORANGE SQ.	
862313 	7x60	BATTISCOPA SLIGHT BLUE SQ.	
862314 	7x60	BATTISCOPA SLIGHT DEEP GREEN SQ.	
862315 	7x60	BATTISCOPA SLIGHT BORDEAUX SQ.	


TECHNICAL CHARACTERISTICS

PAVIMENTI / FLOOR TILES / SOLS / BODENFLIESEN / PAVIMENTOS / ПОЛЫ . 地面瓷磚

GRES PORCELLANATO

GRÈS PORCELLANATO / PORCELAIN STONEWARE / GRÈS CÉRAMÉ
FEINSTEINZEUG / GRES PORCELÁNICO / КЕРАМОГРАНИТ / 釉面瓷磚

CLASSIFICAZIONE SECONDO NORME EN14411 ALLEGATO G & ISO 13006 ALLEGATO G - GROUP BIa GL / CLASSIFICATION IN ACCORDANCE WITH EN14411 ANNEX G & ISO 13006 ANNEX G - GRUPPO BIa GL / CLASSIFICATION SELON LES NORMES EN14411 ANNEXE G & ISO 13006 ANNEXE G - GROUPE BIa GL / KLASSIFIZIERUNG GEMÄSS NORMEN EN14411 ANLAGE G & ISO 13006 ANLAGE G - GRUPPE BIa GL / CLASIFICACIÓN SEGÚN NORMAS EN14411 ADJUNTO G & ISO 13006 ADJUNTO G - GRUPO BIa GL
КЛАССИФИКАЦИЯ В СООТВЕТСТВИИ С СТАНДАРТАМИ EN14411 ВЛОЖЕННЫХ Г И ISO 13006 ВЛОЖЕННЫХ Г - ГРУППЕ BIa GL / 類別遵照 EN14411 附錄G & ISO 13006 附錄G - BIa GL組

<p>PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES PROPRIÉTÉS PHYSICO-CHIMIQUES PHYSIKALISCH-CHEMISCHE EIGENSCHAFTEN-PROPIEDADES FÍSICO-QUÍMICAS-СВОЙСТВА ХИМИЧЕСКИМИ - ФИЗИЧЕСКИМИ 物理-化學性能</p>	<p>TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBAS ВИД КОНТРОЛЯ 測試標準</p>	<p>VALORE PRESCRITTO REQUIRED VALUE VALEUR PRESCRITE VORGESCHRIEBENER WERT VALOR PRESCRITO РЕКОМЕНДУЕМАЯ СТОИМОСТЬ 要求值</p>	<p>VALORE MEDIO AVERAGE VALUE VALEUR MOYENNE MITTELWERT VALOR MEDIO СРЕДНИЕ ЗНАЧЕНИЯ 均值</p>
<p> Dimensioni Sizes Dimensions Abmessungen Dimensiones Форматы 尺寸</p>	<p>ISO 10545.2</p>	<p>Lunghezza e larghezza / Length and width / Longueur et largeur Länge und breite / Largura y anchura / Длина и ширина / 長度和寬度 ± 0,6% Spessore / Thickness / Epaisseur / Stärke / Espesor / Толщина / 厚度 ± 5% Rettilineità spigoli / Warpage of edges / Rectitude des arêtes Kantengeradheit / Rectilinidad cantos / Прямолинейность сторон 線性度 ± 0,5% Ortogonalità / Wedging / Orthogonalité Rechtwinkligkeit / Ortogonalidad / Ортогональности 模面 ± 0,6% Planarità / Warpage / Planéité Ebenflächigkeit / Planitud / Плоскостности / 翹曲 ± 0,5%</p>	<p>± 0,2% ± 5% ± 0,2% ± 0,2% ± 0,2%</p>
<p> Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение 吸水性</p>	<p>ISO 10545.3</p>	<p>$E \leq 0,5\%$</p>	<p>$\leq 0,1\%$</p>
<p> Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit Resistencia a la flexión Прочность на изгиб 抗彎曲性</p>	<p>ISO 10545.4</p>	<p>Modulo di rottura / Modulus of rupture / Module de rupture Bruchmodul / Módulo de rotura / Прочность на изгиб / 斷裂模組 35 N/mm² Sforzo di rottura / Breaking stress / Contrainte de rupture Bruchlast / Esfuerzo de rotura / Разрушающее усилие / 斷裂強度 $\geq 1300\text{ N}$</p>	<p>R \geq 50 N/mm² S > 1700 N</p>
<p> Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärte Resistencia a la abrasión Износостойчивость 抗磨損性</p>	<p>ISO 10545.7</p>	<p>Secondo i dati del produttore According to the manufacturer's data Selon les données du producteur Gemäß der Angaben des Herstellers De acuerdo con los datos del fabricante В соответствии с данными изготовителя 根据制造商信息</p>	<p>Indicata sul catalogo Indicated in the catalog Indiquée dans le catalogue Im katalog angegeben Indicada en el catálogo Указана в каталоге 在目錄中的指示</p>
<p> Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion Coefficient de dilatation thermique lineaire Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal Кoeffициент теплового расширения 線性熱膨脹係數</p>	<p>ISO 10545.8</p>	<p>Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法</p>	<p>$6,5 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$</p>
<p> Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux variations thermiques Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura Устойчивость к резким перепадам температур 抗熱衝擊性</p>	<p>ISO 10545.9</p>	<p>Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法</p>	<p>Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證</p>
<p> Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Resistencia a las heladas Морозоустойчивость 耐霜性</p>	<p>ISO 10545.12</p>	<p>Non devono presentare rotture o alterazioni apprezzabili della superficie Must not produce noticeable alteration to surface Ne doivent pas présenter des ruptures ou altérations trop importantes de la surface Oberflächen dürfen keinen bruch oder schaden aufweisen No deben presentar roturas o alteraciones apreciables de la superficie На поверхности не должно быть заметных повреждений или изменений 瓷磚表面必須無裂紋或顯著改變</p>	<p>Non gelive Frost-proof Non gélives Non gefrieren Resistentes a las heladas Не морозостойкий 防霜的</p>
<p> Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos químicos Химическая устойчивость 耐化學性</p>	<p>ISO 10545.13</p>	<p>GB min.</p>	<p>Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标</p>
<p> Resistenza alle macchie Stain resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas Устойчивость к пятнообразованию 耐沾污性</p>	<p>ISO 10545.14</p>	<p>CLASSE 3 min.</p>	<p>Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标</p>

TECHNICAL CHARACTERISTICS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN / REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН . 牆面瓷磚

SEMIGRES

CLASSIFICAZIONE SECONDO NORME EN 14411 - ALLEGATO L - GRUPPO B III / CLASSIFICATION IN ACCORDANCE WITH EN 14411 - ANNEX L - GROUP B III
 CLASSIFICATION SELON LES NORMES EN 14411 - ANNEXE L - GROUPE B III / KLASSIFIZIERUNG GEMÄSS NORMEN EN 14411 - ANLAGE L - GRUPPE B III
 CLASIFICACIÓN SEGÚN NORMAS EN 14411 - ADJUNTO L - GRUPO B III / КЛАССИФИКАЦИЯ В СООТВЕТСТВИИ С СТАНДАРТАМИ EN 14411 - ВЛОЖЕННЫХ Л - ГРУППЕ В III
 類別遵照 EN 14411 附錄L B III組

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES PROPRIÉTÉS PHYSICO-CHIMIQUES PHYSIKALISCH-CHEMISCHE EIGENSCHAFTEN-PROPIEDADES FÍSICO-QUÍMICAS-СВОЙСТВА ХИМИЧЕСКИМИ - ФИЗИЧЕСКИМИ 物理-化學性能	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBAS ВИД КОНТРОЛЯ 測試標準	VALORE PRESCRITTO REQUIRED VALUE VALEUR PRESCRITE VORGESCHRIEBENER WERT VALOR PRESCRITO РЕКОМЕНДУЕМАЯ СТОИМОСТЬ 要求值	VALORE MEDIO AVERAGE VALUE VALEUR MOYENNE MITTELWERT VALOR MEDIO СРЕДНИЕ ЗНАЧЕНИЯ 均值
 Dimensioni Sizes Dimensions Abmessungen Dimensiones Форматы 尺寸	ISO 10545.2	Lunghezza e larghezza / Length and width / Longueur et largeur Länge und breite / Largura y anchura / Длина и ширина ± 0,5% ± 0,5% 長度和寬度 Spessore / Thickness / Epaisseur / Stärke / Espesor / Толщина ± 10% ± 5% 厚度 Rettilinearità spigoli / Warpage of edges / Rectitude des arêtes Kantengeradheit / Rectilineidad cantos / Прямолинейность сторон ± 0,3% ± 0,3% 線性度 Ortogonalità / Wedging / Orthogonalité Rechtwinkligkeit / Ortogonalidad / Ортогональности ± 0,5% ± 0,4% 楔固固 Planarità / Warpage / Planéité Ebenflächigkeit / Planitud / Плоскостности / 翹曲 ± 0,5% ± 0,3%	
 Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение 吸水性	ISO 10545.3	E > 10%	~ 16%
 Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit Resistencia a la flexión Прочность на изгиб 抗彎曲性	ISO 10545.4	Modulo di rottura Moduls of rupture Module de rupture Bruchmodul Módulo de rotura Прочность на изгиб 斷裂模數 R ≥ 15 N/mm ²	22 N/mm ²
 Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärte Resistencia a la abrasión Износоустойчивость 抗磨損性	ISO 10545.7	Secondo i dati del produttore According to the manufacturer's data Selon les données du producteur Gemäß der Angaben des Herstellers De acuerdo con los datos del fabricante В соответствии с данными изготовителя 根据制造商信息	Indicata sul catalogo Indicated in the catalog Indiquée dans le catalogue Im katalog angegeben Indicada en el catálogo Указана в каталоге 在目錄中的指示
 Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion Coefficient de dilatation thermique lineaire Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal Коэффициент теплового расширения 線性熱膨脹係數	ISO 10545.8	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	8x10 ⁻⁶ °C ⁻¹
 Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux variations thermiques Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura Устойчивость к резким перепадам температур 抗熱衝擊性	ISO 10545.9	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
 Resistenza al cavillo Crazeing resistance Résistance au tressaillage Haarrißbeständigkeit Resistencia al agrietado Стойкость к образованию трещин 抗裂性	ISO 10545.11	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
 Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos químicos Химическая устойчивость 耐化學性	ISO 10545.13	GB min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标
 Resistenza alle macchie Stain resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas Устойчивость к пятнообразованию 耐沾污性	ISO 10545.14	CLASSE 3 min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标

MARKETING IRIS CERAMICA

Art Direction and Graphic Design
ARCHÈ AGENCY

3D Image and Digital Art Buying
ARCHÈ AGENCY

Colour Separation
SELECOLOR FIRENZE

Print
April 2018







IRIS CERAMICA

Via Ghiarola Nuova, 119
Zona Industriale I
41042 Fiorano Modenese (MO) - Italy

T. +39 0536 86 21 11
Fax +39 0536 80 46 02
info@irisceramica.com

www.irisceramica.com
www.diesel.com/living