


# BASALTINA STONE PROJECT

 gres porcellanato

spessore / thickness 11mm / 12mm


## 3

### FORMATI

sizes / formats / Formate



30x60 cm / 12"x24" rett



60x60cm / 24"x24" rett



60x120cm / 24"x48" rett

## 2

### FINITURE

finishes / surfaces / Oberfläche

NAT

LEV

## 7

### COLORI

colors / couleurs / Farben

Scalpellata

Naturale

Sabbiata

Stuccata

Sabbiata Velvet

Lappata

Texture



# BASALTINA STONE PROJECT

**SCALPELLATA**  
30x60cm / 12"x24"  
nat



**STUCCATA**  
60x60cm / 24"x24"  
nat



**SCALPELLATA**  
30x60cm / 12"x24"  
nat



274/  
275




# BASALTINA STONE PROJECT

## MOSAICI

mosaics / mosaïques / Mosaik


**MOSAICO 1**  
sabbiaia  
28,5x28,5cm / 11<sup>1/4</sup>"x11<sup>1/4</sup>"



**MURETTO**  
sabbiaia  
30x60cm / 12"x24"



**MOSAICO 1**  
sabbiaia velvet  
28,5x28,5cm / 11<sup>1/4</sup>"x11<sup>1/4</sup>"



**MURETTO**  
sabbiaia velvet  
30x60cm / 12"x24"




**MOSAICO 1**  
naturale  
28,5x28,5cm / 11<sup>1/4</sup>"x11<sup>1/4</sup>"



**MURETTO**  
naturale  
30x60cm / 12"x24"



**MOSAICO 1**  
stuccata  
28,5x28,5cm / 11<sup>1/4</sup>"x11<sup>1/4</sup>"



**MURETTO**  
stuccata  
30x60cm / 12"x24"



**MOSAICO 1**  
lappata  
28,5x28,5cm / 11<sup>1/4</sup>"x11<sup>1/4</sup>"



**MURETTO**  
lappata  
30x60cm / 12"x24"



**LAPPATA**  
30x60cm / 12"x24"


mosaico 1  
28,5x28,5cm / 11<sup>1</sup>/<sub>4</sub>"x11<sup>1</sup>/<sub>4</sub>"




## PEZZI SPECIALI

trims / pièces spéciales / Formstücke


**BATTISCOPIA**  
10x60cm / 4"x24" rett




**GRADINO PLUS\***  
35x120cm / 13<sup>3</sup>/<sub>4</sub>"x48" rett




**ANGOLO DX GRADINO PLUS\***  
35x120cm / 13<sup>3</sup>/<sub>4</sub>"x48" rett




**ANGOLO SX GRADINO PLUS\***  
35x120cm / 13<sup>3</sup>/<sub>4</sub>"x48" rett




**GRADINO PLUS\***  
35x60cm / 13<sup>3</sup>/<sub>4</sub>"x24" rett



**ANGOLO DX GRADINO PLUS\***  
35x35cm / 13<sup>3</sup>/<sub>4</sub>"x13<sup>3</sup>/<sub>4</sub>" rett



**ANGOLO SX GRADINO PLUS\***  
35x35cm / 13<sup>3</sup>/<sub>4</sub>"x13<sup>3</sup>/<sub>4</sub>" rett



**RACCORDO JOLLY**  
1,3x30cm / 1/2"x12" rett



**BREAK JOLLY**  
1,3x1,3cm / 1/2"x1/2" rett



\* Su richiesta. / Upon request. /  
Sur demande. / auf Anfrage.

# BASALTINA STONE PROJECT



**BASALTINA STONE PROJECT****GRES TUTTA MASSA UGL**

Full-body porcelain / Grès Cérame pleine masse  
Vollgemischtes Durchgefärbtes Feinsteinzeug

**SPESSORE**

Thickness / Epaisseur / Stärke

**11 mm (30x60 - 60x60)**

**12 mm (60x120)**

**FUGA MINIMA CONSIGLIATA**

Minimum suggested joint

Joint minimum conseillé

Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali

Decision by the Construction Manager / National Laying Standards

Décision établie par la Direction des Travaux/Codes de Pose Nationaux

Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.



**V3**

**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1****RESISTENZA ALLO SCIVOLAMENTO**

Slip resistance / Résistance au glissement

Rutschfestigkeit

**DIN 51130**

**R10** (Naturale - Stuccata - Texture Nat

Sabbiata Velvet)

**R11** (Sabbiata - Scalpellata)

**DIN 51097**

**C (A+B+C)** (Sabbiata - Scalpellata)

**B.C.R. - TORTUS**

$\mu > 0,40$  (Naturale - Stuccata - Texture Nat

Sabbiata - Sabbiata Velvet - Scalpellata)

**ANSI A326.3**

**DCOF  $\geq 0.42$**  (Naturale - Stuccata - Texture Nat

Sabbiata - Sabbiata Velvet - Sabbiata)

**AS 4586:2013**

**P4** (Sabbiata - Scalpellata)

**BS 7976:2002**

**PTV 36+Wet (Sl. 96-55)** (Sabbiata - Scalpellata)

**LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing

Légende codes produits / Emballage

Legend Produktcodes / Verpackung

pag. 392




IT / 021 / 010

**NATURALE**

30x60cm / 12" x24"

nat

**SABBIATA**

60x60cm / 24" x24"

nat



stone



**DORAL**

20x30cm / 8"x12"


30x30cm / 12"x12"

30x60cm / 12"x24"





# TECNOQUARTZ

 gres porcellanato

spessore / thickness **12mm**

**6**

**FORMATI**   
sizes / formats / Formate

**4**

**COLORI**  
colors / couleurs / Farben



20x30cm / 8"x12" rett



30x30cm / 12"x12" rett



20x60cm / 8"x24" rett



30x60cm / 12"x24" rett




40x60cm / 16"x24" rett



60x60cm / 24"x24" rett




Doral



Silver



Gneiss



Hard black

stone





## TECNOQUARTZ

### SILVER

20x60cm / 8"x24"

20x30cm / 8"x12"



### GNEISS

30x30cm / 12"x12"

30x60cm / 12"x24"

60x60cm / 24"x24"



**MOSAICI**

mosaics / mosaïques / Mosaik

**LISTONE LINK**  
doral  
30x60 cm / 12"x24"



**LISTONE LINK**  
silver  
30x60 cm / 12"x24"



**MURETTO**  
doral  
30x60 cm / 12"x24"



**MURETTO**  
silver  
30x60 cm / 12"x24"



**MOSAICO ANTICATO 7**  
doral  
29,3x29,3 cm / 11<sup>1</sup>/<sub>2</sub>"x11<sup>1</sup>/<sub>2</sub>"




**MOSAICO ANTICATO 7**  
silver  
29,3x29,3 cm / 11<sup>1</sup>/<sub>2</sub>"x11<sup>1</sup>/<sub>2</sub>"



**ANTICATO 14**  
doral  
14,5x14,5 cm / 5<sup>3</sup>/<sub>4</sub>"x5<sup>3</sup>/<sub>4</sub>"



**ANTICATO 14**  
silver  
14,5x14,5 cm / 5<sup>3</sup>/<sub>4</sub>"x5<sup>3</sup>/<sub>4</sub>"



**ANTICATO 7x14**  
doral  
7,1x14,5 cm / 2<sup>3</sup>/<sub>4</sub>"x5<sup>3</sup>/<sub>4</sub>"



**ANTICATO 7x14**  
silver  
7,1x14,5 cm / 2<sup>3</sup>/<sub>4</sub>"x5<sup>3</sup>/<sub>4</sub>"



**PEZZI SPECIALI**

trims / pièces spéciales / Formstücke


**LISTONE LINK**  
gneiss  
30x60 cm / 12"x24"




**LISTONE LINK**  
hard black  
30x60 cm / 12"x24"



**BATTISCOPA**  
8x60cm / 3 1/2"x24" rett



**GRADINO PLUS\***  
35x60cm / 13 3/4"x24" rett




**MURETTO**  
gneiss  
30x60 cm / 12"x24"



**MURETTO**  
hard black  
30x60 cm / 12"x24"




**ANGOLO DX GRADINO PLUS\***  
35x35cm / 13 3/4"x13 3/4" rett




**MOSAICO ANTICATO 7**  
gneiss  
29,3x29,3 cm / 11 1/2"x11 1/2"



**MOSAICO ANTICATO 7**  
hard black  
29,3x29,3 cm / 11 1/2"x11 1/2"



**ANGOLO SX GRADINO PLUS\***  
35x35cm / 13 3/4"x13 3/4" rett



**ANTICATO 14**  
gneiss  
14,5x14,5 cm / 5 3/4"x5 3/4"



**ANTICATO 14**  
hard black  
14,5x14,5 cm / 5 3/4"x5 3/4"



**RACCORDO JOLLY**  
1,2x30cm / 1/2"x12" rett



**BREAK JOLLY**  
1,2x1,2cm / 1/2"x1/2" rett



**ANTICATO 7x14**  
gneiss  
7,1x14,5 cm / 2 3/4"x5 3/4"



**ANTICATO 7x14**  
hard black  
7,1x14,5 cm / 2 3/4"x5 3/4"



\* Su richiesta. / Upon request. /  
Sur demande. / auf Anfrage.

# TECNOQUARTZ



## TECNOQUARTZ

### GRES TUTTA MASSA UGL

Full-body porcelain / Grès Cérame pleine masse  
Vollgemischtes Durchgefärbtes Feinsteinzeug

### SPESSORE

Thickness / Epaisseur / Stärke  
**12 mm**

### FUGA MINIMA CONSIGLIATA

Minimum suggested joint  
Joint minimum conseillé  
Empfohlene Fugenbreite

#### RECT

2 mm (INDOOR)

#### NON RECT

3-4 mm Approx (INDOOR)

#### OUTDOOR

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.



### STONALIZZAZIONE

Shading / Denuançage / Spielfarbig

**ANSI A137.1**

### RESISTENZA ALLO SCIVOLAMENTO

Slip resistance / Résistance au glissement  
Rutschfestigkeit

#### DIN 51130

R10 (Doral - Silver - Gneiss)

R11 (Hard black)

#### DIN 51097

B (A+B)

#### B.C.R. - TORTUS

$\mu > 0,40$

#### ANSI A326.3

DCOF  $\geq 0.42$

### DOPPIA PRESSATURA

Double pressed / Double passage / Doppelte  
pressung

### LEGENDA CODICI PRODOTTO / IMBALLI

Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung

**pag. 413/414**



IT / 021 / 010

### HARD BLACK

20x30cm / 8"x12"  
20x60cm / 8"x24"  
30x30cm / 12"x12"  
30x60cm / 12"x24"  
60x60cm / 24"x24"



marble




**LASA  
AURORA**  
58x116cm / 23"x46"  
lux





# DREAMING

 gres porcellanato

spessore / thickness 10mm / 11 mm


## 4

### FORMATI


sizes / formats / Formate




30x60cm / 12"x24" rett  
velvet / lux



60x60cm / 24"x24" rett  
velvet / lux



75x75cm / 30"x30" rett  
velvet  
73x73cm / 29"x29" rett  
lux



\*60x120cm / 24"x48" rett  
velvet  
\*58x116cm / 23"x46" rett  
lux

## 2

### FINITURE

finishes / surfaces / Oberfläche

#### LUX

#### VELVET

## 8


### COLORI

colors / couleurs / Farben

Imperial Onyx



Lasa Aurora




Bianco Statuario




Crystal White



Romance Safari




Passion Pulpis



Calacatta Shine



Gray Stone



#### \* colori disponibili:

/ available colors: / couleurs disponibles: / verfügbare Farben:  
Bianco Statuario, Calacatta Shine, Gray Stone,  
Lasa Aurora, Imperial Onyx

marble



# DREAMING

290/  
291



**IMPERIAL ONYX**  
60x120cm / 24"x48"  
velvet



marble





# DREAMING

292/  
293

**CALACATTA  
SHINE**  
73x73cm / 29"x29"  
lux



marble



## DREAMING

**PASSION PULPIS**  
73x73cm / 29"x29"  
lux



**ROMANCE SAFARI**  
75x75cm / 30"x30"  
velvet





marble





# DREAMING

**CRYSTAL WHITE**  
60x60cm / 24"x24"  
lux




**GRAY STONE**  
73x73cm / 29"x29"  
lux



marble





## DREAMING

### SCRAPS BIANCO

60x60cm / 24"x24"

lux



### BIANCO STATUARIO

73x73cm / 29"x29"

lux



# DREAMING


## DECORI

decors / articles / Dekore

**SCRAPS BIANCO**  
60x60cm / 24"x24"  
lux rett




**SCRAPS GRAY**  
60x60cm / 24"x24"  
lux rett



## MOSAICI

mosaics / mosaïques / Mosaik


**MOSAICO BASIC**  
imperial onyx lux  
30x30cm / 12"x12"




**MOSAICO BASIC**  
calacatta shine lux  
30x30cm / 12"x12"




**MOSAICO BASIC**  
gray stone lux  
30x30cm / 12"x12"



**MOSAICO BASIC**  
romance safari lux  
30x30cm / 12"x12"




**MOSAICO BASIC**  
crystal white lux  
30x30cm / 12"x12"



**MOSAICO BASIC**  
passion pulpis lux  
30x30cm / 12"x12"



**MOSAICO BASIC**  
lasa aurora lux  
30x30cm / 12"x12"



**MOSAICO BASIC**  
bianco statuario lux  
30x30cm / 12"x12"






## CALACATTA SHINE

mosaico basic  
30x30cm / 12"x12"  
lux



**PEZZI SPECIALI**

trims / pièces spéciales / Formstücke

**BATTISCOPIA**  
10x60cm / 4"x24" rett**GRADINO PLUS\***  
35x60cm / 13<sup>3/4</sup>"x24" rett**ANGOLO GRADINO PLUS\***  
35x35cm / 13<sup>3/4</sup>"x13<sup>3/4</sup>" rett**RACCORDO JOLLY**  
1,3x30cm / 1/2"x12" rett**BREAK JOLLY**  
1,3x2cm / 1/2"x1/2" rett**\* Su richiesta.** / Upon request. /  
Sur demande. / auf Anfrage.**DREAMING****GRES SMALTATO A MASSA COLORATA GL**Colored-body glazed porcelain  
Grès émaillé à masse colorée  
Glasiertes Feinsteinzeug mit farbiger masse**SPESSORE**

Thickness / Epaisseur / Stärke

**10 mm** (30x60 - 60x60 - 58x116 - 60x120)**11 mm** (73x73 - 75x75)**FUGA MINIMA CONSIGLIATA**Minimum suggested joint  
Joint minimum conseillé  
Empfohlene Fugenbreite**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1****RESISTENZA ALLO SCIVOLAMENTO**Slip resistance / Résistance au glissement  
Rutschfestigkeit**ANSI A326.3**DCOF  $\geq$  0.42 (Velvet)**FINITURA LUX**Lux surface finish / Finition Lux  
Lux OberflächeConsigliato per pavimenti in ambienti residenziali.  
Recommended for flooring in residential spaces.  
Recommandé pour les sols dans des espaces résidentiels.  
Empfohlen für Fußböden in Wohnbereichen.**FINITURA VELVET**Velvet surface finish / Finition Velvet  
Velvet OberflächeConsigliato per pavimenti in ambienti residenziali e commerciale leggero.  
Recommended for flooring in residential and low-traffic commercial spaces.  
Recommandé pour les sols dans des espaces résidentiels et commerciaux (petits).  
Empfohlen für Fußböden in Wohnbereichen und für leichte gewerbliche Nutzung.**LEGENDA CODICI PRODOTTO / IMBALLI**Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung

pag. 400/401/402




wood



**WARM CREAM**  
20x180 cm / 8"x71"



# BIO RECOVER

 gres porcellanato

**PROTECT**  
ANTIBATTERICO - ANTIMICROBIAL

spessore / thickness **10,5mm / 12mm**


**2**

## FORMATI

sizes / formats / Formate



20x180 cm / 4<sup>3/4</sup>"x71" rett



20x121,5 cm / 8"x48" nat

**3**

## COLORI

colors / couleurs / Farben

Warm Cream

Golden Flame

Old Walnut





# BIO RECOVER

**WARM CREAM**  
20x180cm / 8"x71"

frammenti white  
20x90cm / 8"x36"



304/  
305

**GOLDEN FLAME**

ped de poule white  
20x90cm / 8"x36"



wood



# BIO RECOVER

**OLD WALNUT**  
20x180cm / 8"x71"



## **GOLDEN FLAME**

full blue  
20x90cm / 8"x36"



# BIO RECOVER

## DECORI

decors / articles / Dekore

PIED DE POULE WHITE  
20x90cm / 8"x36"



PIED DE POULE BLUE  
20x90cm / 8"x36"



PIED DE POULE RED  
20x90cm / 8"x36"



FULL WHITE  
20x90cm / 8"x36"



FULL BLUE  
20x90cm / 8"x36"



FULL RED  
20x90cm / 8"x36"



FRAMMENTI WHITE

4x20cm / 1<sup>9</sup>/<sub>16</sub>"x8"  
8x20cm / 3<sup>1</sup>/<sub>8</sub>"x8"  
12x20cm / 4<sup>3</sup>/<sub>4</sub>"x8"



FRAMMENTI BLUE

4x20cm / 1<sup>9</sup>/<sub>16</sub>"x8"  
8x20cm / 3<sup>1</sup>/<sub>8</sub>"x8"  
12x20cm / 4<sup>3</sup>/<sub>4</sub>"x8"







FRAMMENTI RED

4x20cm / 1<sup>9</sup>/<sub>16</sub>"x8"  
8x20cm / 3<sup>1</sup>/<sub>8</sub>"x8"  
12x20cm / 4<sup>3</sup>/<sub>4</sub>"x8"



**PEZZI SPECIALI**

trims / pièces spéciales / Formstücke

**BATTISCOPA**  
10x60cm / 4"x24" rett**GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**ANGOLO DX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**ANGOLO SX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**GOLDEN FLAME**

20x180cm / 8"x71"

\* **Su richiesta.** / Upon request. /  
Sur demande. / auf Anfrage.**BIO RECOVER****GRES TUTTA MASSA UGL**Full-body porcelain / Grès Cérame pleine masse /  
Vollgemischtes Durchgefärbtes Feinsteinzeug**SPESSORE**

Thickness / Epaisseur / Stärke

**10,5 mm** (20x121,5)**12 mm** (20x180)**FUGA MINIMA CONSIGLIATA**

Minimum suggested joint

Joint minimum conseillé

Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1****RESISTENZA ALLO SCIVOLAMENTO**

Slip resistance / Résistance au glissement

Rutschfestigkeit

**DIN 51130**

R10

**DIN 51097**

8 (A+B)

**B.C.R. - TORTUS**

μ&gt;0,40

**ANSI A326.3**

DCOF ≥ 0.42

**LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing

Légende codes produits / Emballage

Legend Produktcodes / Verpackung

pag. 394/395

**P R ( ) T E C T**

ANTIBATTERICO - ANTIMICROBIAL



wood




**LODGE GROVE**  
20x120 cm / 8"x48"

decoro cluster mix  
20x20 cm / 8"x8"



# BIO LUMBER

 gres porcellanato

**PROTECT**  
ANTIBATTERICO - ANTIMICROBIAL

spessore / thickness **10mm**

**2**

**FORMATI** 

sizes / formats / Formate

**4**

**COLORI**


colors / couleurs / Farben



20x120 cm / 8"x48" rett



30x120cm / 12"x48" rett

 **SYSTEM L2**

spessore / thickness **20mm**



30x120cm / 12"x48" rett  
± 20mm

Lodge Grove

Lodge Greige

Lodge Brown

Lodge Grey

wood







# BIO LUMBER

312/  
313

**LODGE GREY**  
20x120cm / 8" x48"



wood





## BIO LUMBER

**LODGE BROWN**  
30x120 cm / 12"x48"  
20x120 cm / 8"x48"



**LODGE GROVE**  
20x120cm / 8"x48"  
decoro cluster mix  
20x20cm / 8"x8"



# BIO LUMBER

## DECORI

decors / articles / Dekore

CLUSTER MIX  
lodge grove  
20x20cm / 8"x8"



BEEHIVE  
lodge grove  
20x120cm / 8"x48"



CLUSTER MIX  
lodge greige  
20x20cm / 8"x8"



CLUSTER MIX  
lodge brown  
20x20cm / 8"x8"



CLUSTER MIX  
lodge grey  
20x20cm / 8"x8"







BEEHIVE  
lodge grey  
20x120cm / 8"x48"



**PEZZI SPECIALI**

trims / pièces spéciales / Formstücke

**BATTISCOPIA**  
10x60cm / 4"x24" rett**GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**ANGOLO DX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**ANGOLO SX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**LODGE GREIGE**

20x120cm / 8"x48"

cluster mix lodge greige  
20x20cm / 8"x8"\* Su richiesta. / Upon request. /  
Sur demande. / auf Anfrage.**BIO LUMBER****GRES TUTTA MASSA UGL**Full-body porcelain / Grès Cérame pleine masse  
Vollgemischtes Durchgefärbtes Feinsteinzeug**SPESSORE**

Thickness / Epaisseur / Stärke

**10 mm****20 mm (30x120)****FUGA MINIMA CONSIGLIATA**

Minimum suggested joint

Joint minimum conseillé

Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1****RESISTENZA ALLO SCIVOLAMENTO**

Slip resistance / Résistance au glissement

Rutschfestigkeit

**DIN 51130**

R10

**DIN 51097**

B (A+B)

**B.C.R. - TORTUS** $\mu > 0,40$ **ANSI A326.3**DCOF  $\geq 0.42$ **AS 4586:2013**

P3

**BS 7976:2002**

PTV 36+Wet (Slider 96)

**LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing

Légende codes produits / Emballage

Legend Produktcodes / Verpackung

pag. 393

**P R ( ) T E C T**

ANTIBATTERICO - ANTIMICROBIAL



wood




**OAK PATINATO  
CHIARO**

20x120 cm / 8"x48"

strip  
20x120cm / 8"x48"



# BIO TIMBER

 gres porcellanato

**P R ( ) T E C T**  
ANTIBATTERICO - ANTIMICROBIAL

spessore / thickness **11mm**

**1**

**FORMATO** <sup>RT<sup>1</sup></sup>  
size / format / Format

**4**

**COLORI**  
colors / couleurs / Farben



20x120 cm / 8"x48" rett

Oak Patinato Chiaro




Oak Provenzale



Oak Patinato Scuro



Oak Grigio



wood



## BIO TIMBER

**OAK PROVENZALE**  
20x120cm / 8"x48"







**OAK PATINATO SCURO**  
20x120cm / 8"x48"



stone

## BIO TIMBER

**OAK GRIGIO**

20x120cm / 8"x48"





# BIO TIMBER

## DECORI

decors / articles / Dekore

COMPASS  
oak patinato chiaro  
20x120cm / 8"x48"



COMPASS  
oak patinato scuro  
20x120cm / 8"x48"



COMPASS  
oak provenzale  
20x120cm / 8"x48"



COMPASS  
oak grigio  
20x120cm / 8"x48"



TRIANGLES  
oak patinato chiaro  
20x120cm / 8"x48"



TRIANGLES  
oak patinato scuro  
20x120cm / 8"x48"



STRIP  
oak patinato chiaro  
20x120cm / 8"x48"



STRIP  
oak patinato scuro  
20x120cm / 8"x48"



STRIP  
oak provenzale  
20x120cm / 8"x48"



STRIP  
oak grigio  
20x120cm / 8"x48"



TRIANGLES  
oak provenzale  
20x120cm / 8"x48"







TRIANGLES  
oak grigio  
20x120cm / 8"x48"



**PEZZI SPECIALI**

trims / pièces spéciales / Formstücke

**BATTISCOPIA**  
10x60cm / 4"x24" rett**GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**ANGOLO DX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett**ANGOLO SX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett\* Su richiesta. / Upon request. /  
Sur demande. / auf Anfrage.**BIO TIMBER****GRES TUTTA MASSA UGL**Full-body porcelain / Grès Cérame pleine masse /  
Vollgemischtes Durchgefärbtes Feinsteinzeug**SPESSORE**

Thickness / Epaisseur / Stärke

**11 mm****FUGA MINIMA CONSIGLIATA**

Minimum suggested joint

Joint minimum conseillé

Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali

Decision by the Construction Manager / National Laying Standards

Décision établie par la Direction des Travaux/Codes de Pose Nationaux

Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.

**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1****RESISTENZA ALLO SCIVOLAMENTO**

Slip resistance / Résistance au glissement

Rutschfestigkeit

**DIN 51130**

R9

**B.C.R. - TORTUS** $\mu > 0,40$ **ANSI A326.3**DCOF  $\geq 0.42$ **LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing

Légende codes produits / Emballage

Legend Produktcodes / Verpackung

pag. 395/396

**P R ( ) T E C T**

ANTIBATTERICO - ANTIMICROBIAL


wood



**OAK NOISETTE**  
20x120 cm / 8"x48"



# BIO PLANK


 gres porcellanato

**P R ( ) T E C T**  
ANTIBATTERICO - ANTIMICROBIAL

spessore / thickness **11mm**

**1**

**FORMATO** <sup>RT<sup>1</sup></sup>  
size / format / Format



20x120 cm / 8"x48" rett

**2**

**COLORI**  
colors / couleurs / Farben

Oak Ice

Oak Noisette

# BIO PLANK





**DECORI**

decors / articles / Dekore


**DECORO FENCE**  
oak ice  
20x120cm / 8"x48"



**DECORO FENCE**  
oak noisette  
20x120cm / 8"x48"




**OAK ICE**  
20x120cm / 8"x48"


**PEZZI SPECIALI**

trims / pièces spéciales / Formstücke


**BATTISCOPA**  
10x60cm / 4"x24" rett




**GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett



**ANGOLO DX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett



**ANGOLO SX GRADINO PLUS\***  
35x120cm / 13<sup>3/4</sup>"x48" rett



\* **Su richiesta.** / Upon request. /  
Sur demande. / auf Anfrage.

**BIO PLANK****GRES TUTTA MASSA UGL**

Full-body porcelain / Grès Cérame pleine masse /  
Vollgemischtes Durchgefärbtes Feinsteinzeug

**SPESSORE**

Thickness / Epaisseur / Stärke

**11 mm****FUGA MINIMA CONSIGLIATA**

Minimum suggested joint  
Joint minimum conseillé  
Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.

**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1****RESISTENZA ALLO SCIVOLAMENTO**

Slip resistance / Résistance au glissement  
Rutschfestigkeit

**DIN 51130****R9****B.C.R. - TORTUS** $\mu > 0,40$ **ANSI A326.3**DCOF  $\geq 0.42$ **BS 7976:2002**

PTV 36+Wet (Dry)

PTV 25-35 (Wet)

**BRITISH PENDULUM TEST BS 7976:2002****4S (SLIDER 96)**

Dry: low slip potential PTV 36+

Wet: moderate slip potential PTV 25-35

**LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung

**pag. 394****P R ( ) T E C T**

ANTIBATTERICO - ANTIMICROBIAL


**CITY**  
design  
Diego Grandi

**MOSCOVA**  
**ANTRACITE 3D**  
30x60cm / 12"x24"



# CITY

design Diego Grandi


 gres porcellanato

spessore / thickness **11mm**

**1**

**FORMATO**  $\text{RT}^1$

size / format / Format



30x60cm / 12"x24" rett

**2**

**COLORI**


colors / couleurs / Farben



Moscova antracite 3D



Cordusio bronze 3D





# CITY

**CORDUSIO BRONZE 3D**  
30x60cm / 12"x24"



## CITY

---

### GRES SMALTATO A MASSA COLORATA GL

Colored-body glazed porcelain  
Grès émaillé a masse colorée  
Glasiertes Feinsteinzeug mit farbiger masse

---

### SPESSORE

Thickness / Epaisseur / Stärke

11 mm

---

### FUGA MINIMA CONSIGLIATA

Minimum suggested joint  
Joint minimum conseillé  
Empfohlene Fugenbreite

#### RECT

2 mm (INDOOR)

#### NON RECT

3-4 mm Approx (INDOOR)

#### OUTDOOR

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.

---



### LEGENDA CODICI PRODOTTO / IMBALLI

Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung


pag. 396

---

**GOCCIA**  
design  
Kravitz Design Inc.



**WHITE**  
single tune out matt  
10x40cm / 4"x16"



# GOCCIA

design Kravitz Design Inc.

monoporosa

spessore / thickness **9mm**

## 2

### FORMATI

sizes / formats / Formate



13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>" nat



10x40cm / 4"x16" nat

## 2

### FINITURE

finishes / surfaces / Oberfläche

**GLOSSY**

**MATT**

## 2

### COLORI

colors / couleurs / Farben

White

Black



## GOCCIA

### WHITE

tune in glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"

tune out glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



**BLACK**  
distorsion glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"









# GOCCIA

## FORMATI E COLORI

sizes and colors / formats et couleurs / Formaten und Farben

### WHITE

SINGLE TUNE IN  
white glossy  
10x40cm / 4"x16"



SINGLE TUNE OUT  
white glossy  
10x40cm / 4"x16"



SINGLE TUNE IN  
white matt  
10x40cm / 4"x16"



SINGLE TUNE OUT  
white matt  
10x40cm / 4"x16"



DOUBLE TUNE IN  
white gloss  
10x40cm / 4"x16"



DOUBLE TUNE OUT  
white gloss  
10x40cm / 4"x16"



DOUBLE TUNE IN  
white matt  
10x40cm / 4"x16"



DOUBLE TUNE OUT  
white matt  
10x40cm / 4"x16"



TUNE IN  
white glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



TUNE IN  
white matt  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



TUNE OUT  
white glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



TUNE OUT  
white matt  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



DISTORSION  
white glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



**FORMATI E COLORI**

sizes and colors / formats et couleurs / Formaten und Farben

**BLACK**



SINGLE TUNE IN  
black glossy  
10x40cm / 4"x16"



SINGLE TUNE OUT  
black glossy  
10x40cm / 4"x16"



SINGLE TUNE IN  
black matt  
10x40cm / 4"x16"



SINGLE TUNE OUT  
black matt  
10x40cm / 4"x16"



DOUBLE TUNE IN  
black gloss  
10x40cm / 4"x16"



DOUBLE TUNE OUT  
black gloss  
10x40cm / 4"x16"



DOUBLE TUNE IN  
black matt  
10x40cm / 4"x16"



DOUBLE TUNE OUT  
black matt  
10x40cm / 4"x16"



TUNE IN  
black glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



TUNE IN  
black matt  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



TUNE OUT  
black glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



TUNE OUT  
black matt  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



DISTORSION  
black glossy  
13x13cm / 5<sup>1</sup>/<sub>8</sub>"x5<sup>1</sup>/<sub>8</sub>"



# GOCCIA


shapes & colors




**GOCCIA È ABBINABILE ALLA SERIE PROGETTO L14**

Goccia can be matched with Progetto L14 / Goccia s'accorde à la collection Progetto L14  
Goccia passend zu serie Progetto L14


MOOD 14  
xwhite glossy  
10x40cm / 4"x16"



MOOD 14  
xblack glossy  
10x40cm / 4"x16"



MOOD 14  
gesso matt  
10x40cm / 4"x16"

**WHITE**

single tune in glossy  
10x40cm / 4"x16"

single tune out glossy  
10x40cm / 4"x16"

**PROGETTO L14****XWHITE**

glossy mood 14  
10x40cm / 4"x16"

**GOCCIA****MONOPOROSA IN PASTA BIANCA  
SMALTATA GL**

Glazed white-body porous single-fired tiles / Mono-  
cuissons en pâte blanche émaillé / Weißscherbige  
monoporosa

**SPESSORE**

Thickness / Epaisseur / Stärke

9 mm

**FUGA MINIMA CONSIGLIATA**

Minimum suggested joint  
Joint minimum conseillé  
Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.

**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

ANSI A137.1

**LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung

pag. 402

**NERO**

Bolli sfalsati

Curva mista


Curva diagonale  
30x30cm / 12"x12"



# LINK

## PERCORSI TATTILI

project for the visually-impaired or blind / série plaque tactiles pour mal voyant / programm für blinde leute

 gres porcellanato

spessore / thickness **9mm**

## 2

### FORMATI

sizes / formats / Formate



20x20cm / 8"x8" nat



30x30 cm / 12"x12" nat

## 3

### COLORI

colors / couleurs / Farben

Bianco

Nero

Giallo


## FORMATI E COLORI

sizes and colors / formats et couleurs / Formaten und Farben

**BOLLI SFALSATI**  
bianco  
30x30cm / 12"x12"



**BOLLI SFALSATI**  
nero  
30x30cm / 12"x12"




**BOLLI SFALSATI**  
giallo  
30x30cm / 12"x12"



**CURVA MISTA**  
bianco  
30x30cm / 12"x12"




**CURVA MISTA**  
nero  
30x30cm / 12"x12"




**CURVA MISTA**  
giallo  
30x30cm / 12"x12"




**CURVA DIAGONALE**  
bianco  
30x30cm / 12"x12"




**CURVA DIAGONALE**  
nero  
30x30cm / 12"x12"




**CURVA DIAGONALE**  
giallo  
30x30cm / 12"x12"



**RETTILINEO**  
bianco  
30x30cm / 12"x12"





**RETTILINEO**  
nero  
30x30cm / 12"x12"



**RETTILINEO**  
giallo  
30x30cm / 12"x12"



### Sezioni





**LINK**

**GRES TUTTA MASSA UGL**

Full-body porcelain / Grès Cérame pleine masse / Vollgemischtes Durchgefärbtes Feinsteinzeug /

**SPESSORE**

Thickness / Epaisseur / Stärke

**9 mm**

**FUGA MINIMA CONSIGLIATA**

Minimum suggested joint  
Joint minimum conseillé  
Empfohlene Fugenbreite

**RECT**

2 mm (INDOOR)

**NON RECT**

3-4 mm Approx (INDOOR)

**OUTDOOR**

5-6 mm Approx (\*)

(\*) Decisione a cura della Direzione Lavori Codici di Posa Nazionali  
Decision by the Construction Manager / National Laying Standards  
Décision établie par la Direction des Travaux/Codes de Pose Nationaux  
Die Entscheidung wird von der Bauleitung/gemäß nationalen Vorschriften getroffen.



**STONALIZZAZIONE**

Shading / Denuançage / Spielfarbig

**ANSI A137.1**

**LEGENDA CODICI PRODOTTO / IMBALLI**

Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung

**pag. 403**

**BOLLI SFALSATI 13**  
bianco  
20x20cm / 8"x8"



**BOLLI SFALSATI 13**  
nero  
20x20cm / 8"x8"



**BOLLI SFALSATI 13**  
giallo  
20x20cm / 8"x8"



**BOLLI SFALSATI 12**  
bianco  
20x20cm / 8"x8"




**BOLLI SFALSATI 12**  
nero  
20x20cm / 8"x8"




**BOLLI SFALSATI 12**  
giallo  
20x20cm / 8"x8"



**RIGHE**  
bianco  
20x20cm / 8"x8"



**RIGHE**  
nero  
20x20cm / 8"x8"



**RIGHE**  
giallo  
20x20cm / 8"x8"



**BORCHIE**  
bianco  
20x20cm / 8"x8"





**BORCHIE**  
nero  
20x20cm / 8"x8"



**BORCHIE**  
giallo  
20x20cm / 8"x8"



**Sezioni**






**LIME L2**  
60x60cm / 24"x24"



**CENDRE L2**  
60x60cm / 24"x24"



# SYSTEM L2


 SYSTEM L2

spessore / thickness **20mm**

**4**

**FORMATI**

sizes / formats / Formate



60x60cm / 24"x24" rett  
± 20mm  
grip



45x90cm / 18"x36" rett  
± 20mm  
grip



30x120cm / 12"x48" rett  
± 20mm  
grip



60x120cm / 24"x48" rett  
± 20mm  
grip

**18**

**COLORI**

colors / couleurs / Farben










**NEXTONE**

**WATERFALL**

**CLIFFSTONE**

**BIO LUMBER**

**STONECLAY**


	<p><b>Next white</b></p>  <p>60x120cm 60x60cm</p>	<p><b>Ivory Flow L2</b></p>  <p>45x90cm 60x60cm</p>	<p><b>White Dover L2</b></p>  <p>60x60cm</p>	<p><b>Lodge Grove L2</b></p>  <p>30x120cm</p>
	<p><b>Next gray</b></p>  <p>60x120cm 60x60cm</p>	<p><b>Silver Flow L2</b></p>  <p>45x90cm 60x60cm</p>	<p><b>Beige Madeira L2</b></p>  <p>60x60cm</p>	<p><b>Lodge Greige L2</b></p>  <p>30x120cm</p>
<p><b>Lime L2</b></p>  <p>60x60cm</p>	<p><b>Next taupe</b></p>  <p>60x120cm 60x60cm</p>	<p><b>Gray Flow L2</b></p>  <p>45x90cm 60x60cm</p>	<p><b>Taupe Moher L2</b></p>  <p>60x60cm</p>	<p><b>Lodge Brown L2</b></p>  <p>30x120cm</p>
<p><b>Cendre L2</b></p>  <p>60x60cm</p>	<p><b>Next dark</b></p>  <p>60x120cm 60x60cm</p>	<p><b>Dark Flow L2</b></p>  <p>45x90cm 60x60cm</p>	<p><b>Grey Tenerife L2</b></p>  <p>60x60cm</p>	<p><b>Lodge Grey L2</b></p>  <p>30x120cm</p>





## SYSTEM L2

**IVORY FLOW L2**  
45x90 cm / 18"x36"



**NEXT TAUPE L2**  
60x120cm / 24"x48"



**NEXT DARK L2**  
60x60cm / 24"x24"



# SYSTEM L2

**LODGE BROWN L2**  
30x120 cm / 12"x48"



## PEZZI SPECIALI

trims / pièces spéciales / Formstücke

### NEXTONE / BIO LUMBER STONECLAY / CLIFFSTONE

#### GRIGLIA\*

15x60cm / 6"x24" rett



#### GRIGLIA ANGOLARE DX\*

15x60cm / 6"x24" rett



#### GRADINO ANGOLARE SX\*

15x60cm / 6"x24" rett



#### COSTA TORO\*

30x60cm / 12"x24" rett



#### COSTA TORO ANGOLARE DX\*

30x60cm / 12"x24" rett



#### COSTA TORO ANGOLARE SX\*

30x60cm / 12"x24" rett



#### COSTA RETTA\*

30x60cm / 12"x24" rett



#### COSTA RETTA ANGOLARE DX\*

30x60cm / 12"x24" rett



#### COSTA RETTA ANGOLARE SX\*

30x60cm / 12"x24" rett



#### COSTA TORO STEP\*

30x60cm / 12"x24" rett




#### COSTA RETTA STEP\*

30x60cm / 12"x24" rett




#### COSTA TORO CON GOCCIOLATOIO\*

30x60cm / 12"x24" rett



#### COSTA RETTA CON GOCCIOLATOIO\*

30x60cm / 12"x24" rett



### WATERFALL

#### GRIGLIA\*

15x45cm / 6"x18" rett



#### GRIGLIA ANGOLARE DX\*

15x45cm / 6"x18" rett



#### GRADINO ANGOLARE SX\*

15x45cm / 6"x18" rett



#### COSTA TORO\*

30x90cm / 12"x36" rett



#### COSTA TORO ANGOLARE DX\*

30x90cm / 12"x36" rett



#### COSTA TORO ANGOLARE SX\*

30x90cm / 12"x36" rett



#### COSTA RETTA\*

30x90cm / 12"x36" rett



#### COSTA RETTA ANGOLARE DX\*

30x90cm / 12"x36" rett



#### COSTA RETTA ANGOLARE SX\*

30x90cm / 12"x36" rett



#### COSTA TORO STEP\*

30x90cm / 12"x36" rett



#### COSTA RETTA STEP\*

30x90cm / 12"x36" rett



\* Su richiesta. Per maggiori informazioni circa quantità minime e tempi di consegna rivolgersi all'ufficio commerciale. / Upon request. For more information about minimum quantities and delivery times please contact the sales department. / Sur demande. Pour plus d'informations sur les quantités minimales et délais de livraison s'il vous plaît contacter le département des ventes. / auf Anfrage. Für weitere Infos über die Mindestmengen und Lieferzeiten wenden Sie sich bitte an unserer Verkaufsabteilung.

## SYSTEM L2

### GRES TUTTA MASSA UGL

Full-body porcelain / Grès Cérame pleine masse  
Vollgemischtes Durchgefärbtes Feinsteinzeug

### SPESSORE

Thickness / Epaisseur / Stärke  
20 mm

### INFORMAZIONI PER LA POSA

Information for laying / Informations pour la pose  
Informationen zur Verlegung

**Consultare il manuale "Soluzioni applicative prodotti 20mm"** / Consult the manual "applicable solutions 20mm products" / Consultez le manuel « solutions applicables produits 20 mm » / Siehe Handbuch "Anwendungslösungen für 20 mm-Produkte"



V2

### STONALIZZAZIONE

Shading / Denuançage / Spielfarbig  
(White Dover L2 - Beige Madeira L2  
Taupe Shine L2 - Grey Tenerife L2)



V3

(Ivory Flow L2 - Silver Flow L2  
Gray Flow L2 - Dark Flow L2  
Lime L2 - Cendre L2  
Next White L2 Next Gray L2  
Next Taupe L2 - Next Dark L2)



V4

(Lodge Grove L2 - Lodge Greige L2  
Lodge Brown L2 - Lodge Grey L2)

### ANSI A137.1

### RESISTENZA ALLO SCIVOLAMENTO

Slip resistance / Résistance au glissement  
Rutschfestigkeit

#### DIN 51130

R11

#### DIN 51097

C (A+B+C)

#### B.C.R. - TORTUS

$\mu > 0,40$

#### ANSI A326.3

DCOF  $\geq 0.42$

#### AS 4586:2013

P4

### LEGENDA CODICI PRODOTTO / IMBALLI

Legend product codes / Packing  
Légende codes produits / Emballage  
Legend Produktcodes / Verpackung

pag. 410/411/412